



**Technical Specification for
BRAID, CORD, LACE, & BADGES,
Metallised Polyester, Gold & Silver**

Defence Clothing (DC)

PROPERTY OF
MINISTRY OF DEFENCE



PREFACE

TABLE 1 – PRODUCT LIST

Item Name	BRAID, CORD, LACE, & BADGES, Metallised Polyester, Gold & Silver
NATO Stock Numbers	See tables 8, 9 and 10

**Any colour shown in this document is for representation
and must not be used for colour matching.**

IPR STATEMENT

This specification contains information which is proprietary to the Secretary of State for Defence and shall remain the property of the Secretary of State. It is issued in strict confidence and must not be seen by any unauthorised person. The specification is supplied solely for the purpose of Information/Tender/Contract and shall not be copied or reproduced or used for any other purpose whatsoever without the express prior written permission of the Secretary of State as represented by the Intellectual property rights group.

**Technical documents in this specification refer to the edition current
at the date of tender or contract unless otherwise stated.**

CROWN COPYRIGHT RESERVED

TABLE 2 – ISSUE RECORD

Issue No	Comments	Issue Date
9	<ul style="list-style-type: none"> • Inserted TL Numbers • Amended the descriptions for 8455-99-132-3532 and 8455-99-132-3832 	04 September 2018
8	<ul style="list-style-type: none"> • Deleted BS 5742 from Table 2 and Packaging requirements • Added the following specifications to Table 3: BS EN ISO 105 parts E01 & E04, BS EN ISO 13934 Part 1, BS EN ISO 13937 Part 3, BS EN 1773, BS EN 12127 and BS 4323 • Para's 4, 5 & 6 amended and combined into Para 5 • New Para 4 inserted for physical Requirements • Table 9 inserted into Para 4 and re-numbered Table 5 • Added alternative to Melton ground cloth, details inserted at table 4.2, physical requirements inserted at Para 4, tables 6 and 7 • Tables 6,7 & 8 renumbered as tables 8, 9 & 10 	01 December 2017
7	<p>Table 4.2, colour of ground cloth amended. Ground cloth colours reviewed throughout and Pattern numbers added. Table 7, Width column corrected to match Type. Removed all references to obsolete NSN 8315-99-130-8322 from Pattern No 9516A Removed all references to obsolete NSNs 8315-99-130-8325 & 8328 from Pattern No 9518A Removed all references to obsolete NSN 8315-99-130-8329 from Pattern No 9519A Deleted obsolete NSN's 8455-99- : 974-0100 to 974-0102 974-0108 to 974-0110 974-0112 to 974-0114 974-0116 to 974-0118 974-0144 974-0216 to 974-0218 974-0220 to 974-0223 974-0232 to 974-0235 Following NSNs added, removed from UK/SC/6380: 8455-99-974-0077 to 0083</p>	09 November 2015

TABLE 2 – ISSUE RECORD continued

Issue No	Comments	Issue Date																
6	<p>Table 3: BS 5742 added</p> <p>Table 4: Para 4.1 colour fastness table changed from 10 to 9</p> <p>Table 5: Para 5.2 delete reference to Table 8</p> <p>Table 5: Para 5.5 delete reference to Table 8</p> <p>Table 7 all NSN's made N.I.V. apart from 8315-99-225-4782</p> <p>Table 8: Descriptions changed for NSN's 8455-99-974-0138 to 0141 from RRW to RW</p> <p>Tables re organised so all the same font size</p> <p>General reformat of backing cloth colours</p> <p>Backing cloth changed from piper green to black – 8455-99-974-0238 to 0241</p> <p>Deleted NSN's 8455-99-:</p> <table border="0" data-bbox="277 898 954 1043"> <tr> <td>975-6681</td> <td>974-0115</td> <td>974-0111</td> <td>974-0215</td> </tr> <tr> <td>974-0056</td> <td>974-0103</td> <td>974-0142</td> <td>974-0143</td> </tr> <tr> <td>974-0145</td> <td>974-0219</td> <td>974-0053</td> <td>974-0054</td> </tr> <tr> <td>974-0055</td> <td></td> <td></td> <td></td> </tr> </table> <p>Removed NSN's 8455-99-974-0077 to 0083 as duplicated in UK/SC/3933</p> <p>Inserted NSN: 8455-99-974-0238</p> <p>Section 4: Labelling requirement and label updated</p> <p>Section 5: Manufacturing information added</p> <p>Section 6: Packaging added</p>	975-6681	974-0115	974-0111	974-0215	974-0056	974-0103	974-0142	974-0143	974-0145	974-0219	974-0053	974-0054	974-0055				29 November 2013
975-6681	974-0115	974-0111	974-0215															
974-0056	974-0103	974-0142	974-0143															
974-0145	974-0219	974-0053	974-0054															
974-0055																		
5	<p>Table 3, BS 4973-1 replaced by BS 4973-4.</p> <p>Pattern No's for the following NSN's updated:</p> <table border="0" data-bbox="277 1406 874 1585"> <tr> <td>8455-99-974-0101</td> <td>8455-99-974-0113</td> </tr> <tr> <td>8455-99-974-0116</td> <td>8455-99-974-0128</td> </tr> <tr> <td>8455-99-974-0218</td> <td>8455-99-974-0219</td> </tr> <tr> <td>8455-99-974-0239</td> <td>8455-99-975-6680</td> </tr> <tr> <td>8455-99-975-6681</td> <td></td> </tr> </table> <p>Tables 6 to 9 reorganised and consolidated into tables 6 & 7.</p> <p>Tables 10 to 12 renumbered to Tables 8 to 10.</p> <p>All references to aiguillettes and cord based accoutrements removed including revised specification title.</p> <p>Added NSN 8455-99-974-0200</p> <p>Deleted NSN 8455-99-974-0186</p>	8455-99-974-0101	8455-99-974-0113	8455-99-974-0116	8455-99-974-0128	8455-99-974-0218	8455-99-974-0219	8455-99-974-0239	8455-99-975-6680	8455-99-975-6681		14 July 2010						
8455-99-974-0101	8455-99-974-0113																	
8455-99-974-0116	8455-99-974-0128																	
8455-99-974-0218	8455-99-974-0219																	
8455-99-974-0239	8455-99-975-6680																	
8455-99-975-6681																		
	For previous issues refer to archived specifications																	

PART 11. THE PRODUCT

- a. Use of the Product: This specification describes the requirements for materials and construction for metallised polyester gold and silver braids, cords and laces for use in uniform embellishments. The specification also contains details of badges in which the metallised polyester braid, cord and laces are used.

TABLE 3 – RELATED SPECIFICATIONS AND DOCUMENTS

Specification/Document	Detail
BS EN ISO 105 Part B02 Part D01 Part E01 Part E04 Part X12	Textiles. Test for colour fastness. Colour fastness to artificial light: Xenon arc fading lamp test Colour fastness to dry cleaning Colour fastness to water Colour fastness to perspiration, acid & alkaline Colour fastness to rubbing
BS EN ISO 13934 Part 1	Textiles. Tensile properties of fabrics Determination of maximum force and elongation at maximum force using the strip method
BS EN ISO 13937 Part 3	Textiles. Tear properties of fabrics Determination of tear wing-shaped test specimens (single tear method)
BS EN 1773	Textiles. Fabrics. Determination of width and length
BS EN 12127	Textiles. Fabrics. Determination of mass per unit area using small samples
BS 4323	Method for determination of dimensional change of fabrics Induced by free steam
BS 4973 Part 4	Interlinings Specification for woven sew-in interlinings
UK/SC/5516	Cloths, wool, uniform dress

2. PATTERNS

- a. Master Patterns: DC holds a Master Pattern for this product. Potential contractors may view the pattern on site by arrangement with the DC Commercial Department.
- b. Standard Patterns: A Standard Pattern may be obtained from the DC Technical Information Office and may be used to provide the criteria for all materials, components and manufacturing features not fully defined in this specification.

PART 23. PRODUCT DESIGNa. Product Description

Gold and silver braids, cords laces and badges made from metallised polyester.

TABLE 4 – PRODUCT COMPONENTS

4.1 Metallised polyester yarns	<ul style="list-style-type: none"> • The 'gold' or 'silver' thread is to consist of a metallised polyester film wrapped around a continuous filament core yarn. • The core yarns are to be dyed to an appropriate colour so that the effect of any grinning of the core yarn through the wrapping is minimal. • The wrapping material is to be a non-tarnishing metallised polyester film, which is to be wrapped around the core yarn to give a smooth metallic appearance. Yarn with any kinks, thick places or excessive core yarn grinning is unacceptable. • The shade of yarn is to match that of the standard pattern. • The complete yarn is to meet the colour fastness requirements specified in Table 5.
4.2 Ground cloth for badges & chevrons	<ul style="list-style-type: none"> • For badges manufactured from melton ground cloth, the cloth is to be light melton as specified in UK/SC/5516. • Felted wool cloth complying with the requirements in Tables 6 and 7 is an acceptable alternative to “Cloth, Melton, Wool” to UK/SC/5516 • Colour of ground cloth is to be as in Table 10 or to match Standard Pattern if not stated in specification.
4.3 Backing cloth for badges & chevrons	<ul style="list-style-type: none"> • <u>Dark coloured backing cloths.</u> Cloth, plain weave flax, black, to BS 4973: Part 4 WS1, Pattern No 8443A. • <u>Medium to light coloured backing cloths.</u> Cloth, plain weave flax, to BS 4973: Part 4 WS1, colour to match shade of standard pattern. • Or an alternative approved by DC.

TABLE 5 – PRODUCT CONSTRUCTION

5.1 Braids and Cords	<ul style="list-style-type: none"> • The braids and cords are to be produced by braiding, metallised polyester threads. The cords and Russia braids are to have textile core yarns. Russia braids are to have two separate cores separated by the interlacing of the braiding threads; cord gold universal is to have a single core yarn. • Braiding is to be carried out to give an even braid, free from manufacturing defects. • Russia braid patterns, 9513A, 9514A, 9515A and 9516A should be constructed such that when formed into small circles the braid should remain smooth and even and without core threads showing or breaking through the braided covering. • Tubular braids are to be braided without the inclusion of textile core yarns. • The construction of braids and cords in Table 8 is not specified due to the complex design and construction. The final appearance of the braid or cord being of prime importance and must match the appearance of the Standard Pattern. • The number of cover and core yarns in the construction as specified in Table 8 are for guidance only and are not mandatory.
5.2 Laces	<ul style="list-style-type: none"> • The weave order is to be as shown by the related Standard Patterns. In this respect, only minor variations which do not affect the quality or the appearance of the lace will be permitted, i.e. the disposal, width of the vellums, check, bar ends or ends within each type of lace must correspond with the relevant Standard Patterns. • The numbers of weft yarns in the construction as specified in Table 9 are for guidance only and are not mandatory. • The construction of laces in Table 9 is not specified due to the complex design and construction. The final appearance of the lace being of prime importance and must match the appearance of the Standard Pattern. • Selvedges are to firm and even, without any kinks. The weft threads are to be evenly spaced and show no distortion across the width of the lace (especially within the vellums), so that objectionable “grinning” of the warp through the weft is not apparent.
5.3 Badges	<ul style="list-style-type: none"> • Insignia on the badges are to match the appearance of the standard pattern. • All dimensions are to be as standard patterns. • All backing cloths are to be as standard pattern.

TABLE 5 – PRODUCT CONSTRUCTION continued

5.4 General	<ul style="list-style-type: none"> • Braids, cords and laces are to be even width; construction and appearance are to be correct and uniform throughout each roll. • Items are to be free from all manufacturing defects. • All items to be as standard pattern. • The completed braid, cord and laces are to be no less pliable than the relevant Standard Pattern. • Reel lengths should not be normally less than 25 metres and the following shall apply: <ul style="list-style-type: none"> • No roll contains more than 1 cut. • No length of less than 3 metres is included in a roll. • A 0.25 metre allowance is made for a cut through. • Other reel lengths should be proportioned accordingly.
5.5 Measurements / Parameters	<ul style="list-style-type: none"> • The braids, cords and laces are to conform to the appropriate measurements shown in Tables 8 and 9.

4. PHYSICAL REQUIREMENTS

TABLE 5 – COLOUR FASTNESS REQUIREMENTS

The colour fastness requirements for all components of the synthetic gold yarns are not to be lower than the ratings specified in the following table:

Method of Test BS EN ISO 105			
BO2 (Xenon lamp)	X12		DO1
Light	Rubbing		Dry cleaning
6	Dry	Wet	Colour Change
	4-5	4-5	5

**TABLE 6 – PHYSICAL REQUIREMENTS FOR ALTERNATIVE
FELTED WOOL BADGE BACKING**

BS EN 1773	BS EN 12127	BS EN ISO 13934-1		BS EN ISO 13937-3		BS 4323	
Usable Width	Mass	Breaking Strength		Tear Strength (electronic method)		Dimensional Stability to Free Steam	
cm	g/m ²	N		N		%	
min	min	min		min		max	
		Warp	Weft	Across Warp	Across Weft	Warp	Weft
150	500	320	300	22.0	21.0	±3	

- Minimum 85% wool, balance other fibres, 9.8% Nylon and 1.7% polyester has been found to be acceptable.

**TABLE 7 – MINIMUM COLOUR FASTNESS REQUIREMENTS FOR ALTERNATIVE
FELTED WOOL BADGE BACKING**

The colour fastness is to be no lower than specified by the ratings in the following table.

METHOD OF TEST							
BS EN ISO 105							
B02	E04		X12	D01		E01	
Light	Perspiration Acid & Alkali		Rubbing Dry & Wet	Dry Cleaning		Water	
Rating	Change	Staining Cotton & wool	Stain	Change	Staining Solvent	Change	Staining Cotton & wool
4-5	4-5	3-4	4-5	4-5	4-5	4-5	4-5

5. PACKAGING & LABELLING

- Packaging and package labelling shall be as detailed in the contract conditions.
- Each reel of braid, cord or lace is to have a pressure sensitive self adhesive label firmly adhered and then sealed in a polythene bag.
- Badges are to be sealed (pairs or each) in a clear polythene bag.
- Under no circumstances should the contractor's name, logo or trademark appear on the badge or on the packaging

TABLE 8 – CORDS AND BRAIDS

Item No	NATO Stock Number 8315-99	Pattern No	Type	Number of spindles	Ends per spindles	Plaits per 10mm	Width mm ± 0.3mm
1.	N.I.V.	9513A	BRAID, GOLD, SYNTHETIC RUSSIA NO 1, 2.5mm	19	2	11-12	2.5
2.	N.I.V.	9514A	BRAID, GOLD SYNTHETIC RUSSIA NO 2, 3.5mm	19	4	11-12	3.5
3.	N.I.V.	9515A	BRAID, GOLD, SYNTHETIC RUSSIA NO 3, 5mm	19	5	11-12	5.0
4.	N.I.V.	9516A	BRAID, SILVER, SYNTHETIC RUSSIA NO 3, 5mm	19	5	11-12	5.0
5.	N.I.V.	9517A	CORD, GOLD, SYNTHETIC UNIVERSAL, 6mm	24	5	7-8	6.3
6.	N.I.V.	9552A	BRAID, TUBULAR, GOLD METALLISED POLYESTER DIAMOND PLAIT, 4mm	-	-	-	4.0

TABLE 9 – LACE, SYNTHETIC, GOLD/SILVER

Item No	NATO Stock Number 8315-99	Pattern No	Type	Weft yarns in 10mm min	Width ± 0.5mm
7.	N.I.V.	9518A	LACE UNIVERSAL SYNTHETIC GOLD, 10mm	100	10
8.	N.I.V.	9518A	LACE UNIVERSAL SYNTHETIC GOLD, 13mm	100	13
9.	N.I.V.	9518A	LACE UNIVERSAL SYNTHETIC GOLD, 16mm	100	16
10.	N.I.V.	9518A	LACE UNIVERSAL SYNTHETIC GOLD, 19mm	100	19
11.	N.I.V.	9518A	LACE UNIVERSAL SYNTHETIC GOLD, 25mm	100	25
12.	N.I.V.	9519A	LACE UNIVERSAL SYNTHETIC SILVER, 13mm	100	13
13.	N.I.V.	9541A	LACE GOLD ORNAMENTAL GIMP CHAIN, 25mm	-	25
14.	N.I.V.	9542A	LACE GOLD FOR STATE CLOTHING, 50mm	-	50
15.	N.I.V.	9543A	LACE GOLD FOR STATE CLOTHING, 25mm	-	25
16.	225-4782	24174	LACE, GOLD METALLISED POLYESTER RAF, 14mm	100	14
17.	N.I.V.	24173	LACE, GOLD METALLISED POLYESTER RAF, 7mm	100	7
18.	N.I.V.	9545A TG	LACE GOLD METALLISED POLYESTER AND CRIMSON. COMPOSITE TYPE, 16mm	100	16
19.	N.I.V.	24175	LACE, GOLD BLUE, GOLD METALLISED POLYESTER, 38mm, RAF BAND TROUSER STRIPE	86	38
20.	N.I.V.	9540A	LACE, GOLD SYNTHETIC, 10mm, HOUSEHOLD CAVALRY	100	10
21.	N.I.V.	9540A	LACE, GOLD SYNTHETIC, 14.5mm, HOUSEHOLD CAVALRY	100	14.5
22.	N.I.V.	9540A	LACE, GOLD SYNTHETIC, 19mm, HOUSEHOLD CAVALRY	100	19
23.	N.I.V.	9545A	LACE, GOLD METALLISED POLYESTER AND CRIMSON, 45mm. WAIST BELTS RHG-D	65	45
24.	N.I.V.	9545A	LACE GOLD METALLISED POLYESTER AND CRIMSON, 60mm. CROSS-BELTS, RHG-D	65	60

TABLE 9 – LACE, SYNTHETIC, GOLD/SILVER

Item No	NATO Stock Number 8315-99	Pattern No	Type	Weft yarns in 10mm min	Width ± 0.5mm
25.	N.I.V.	9545A	LACE GOLD METALLISED POLYESTER AND CRIMSON, 28mm. SWORD SLINGS, DRUM HORSE REINS AND CUIRASS STRAPS, RHG-D	65	28
26.	N.I.V.	9547A	LACE GOLD METALLISED POLYESTER AND CRIMSON, UNIVERSAL, 16mm	65	16

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
27.	TL1042393	132-3531	35/R/1759B	BADGE QUALIFICATION RAF Band	Lyre in wreath with crown above, Gold on Light Navy (Pattern No 8849P), hand embroidered
28.	TL1042394	132-3532	35/R/1760A	INSIGNIA ORGANISATION RAF Band Collar	Eagles with crown above, Gold on Light Navy (Pattern No 8849P), hand embroidered
29.	TL1042403	132-3823	35/R/1776A	STRIPE SERVICE 2 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on White (Pattern No 8849F). Worn on Tropical Dress
30.	TL1042404	132-3824	35/R/1777A	STRIPE SERVICE 3 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on White (Pattern No 8849F). Worn on Tropical Dress
31.	TL1042405	132-3825	35/R/1778A	STRIPE SERVICE 4 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on White (Pattern No 8849F). Worn on Tropical Dress
32.	TL1042406	132-3826	35/R/1779A	STRIPE SERVICE 2 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on Light Navy (Pattern No 8849P)
33.	TL1042407	132-3827	35/R/1780A	STRIPE SERVICE 3 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on Light Navy (Pattern No 8849P)
34.	TL1042408	132-3828	35/R/1781A	STRIPE SERVICE 4 Bar, RAF Band	Gold lace 14mm (NSN 8315-99-225-4782 Pattern No 24174) on Light Navy (Pattern No 8849P)
35.	TL1042409	132-3830	35/R/2032A	INSIGNIA ORGANISATION RAF Regiment Band – All Ranks	“RAF REGIMENT” legend, Gold on Light Navy (Pattern No 8849P), hand embroidered
36.	TL1042410	132-3831	35/R/1815A	INSIGNIA ORGANISATION RAF Central Bandsmen	“CENTRAL BAND” legend, Gold on Light Navy (Pattern No 8849P), hand embroidered
37.	TL1042411	132-3832	35/R/1900A	BADGE QUALIFICATION RAF Band – Bandmaster.	Large Lyre with crown above, Gold on Light Navy (Pattern No 8849P), hand embroidered

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
38.	TL1042412	132-3834	35/R/1818A	INSIGNIA RANK RAF Band – Flight Sergeant	Large crown, Gold on Light Navy (Pattern No 8849P), hand embroidered
39.	TL1042413	132-3835	35/R/1868A	BADGE QUALIFICATION RAF BAND – Drummer	Drum, Gold on Light Navy (Pattern No 8849P), hand embroidered
40.	TL1042414	132-3837	35/R/1865A	BADGE QUALIFICATION RAF BAND – Senior Aircraftsman	3 Bladed Propeller, Gold on Light Navy (Pattern No 8849P), hand embroidered
41.	TL1042415	132-3838	35/R/1820A	BADGE QUALIFICATION RAF BAND – Junior Technician	4 Bladed Propeller, Gold on Light Navy (Pattern No 8849P), hand embroidered
42.	TL1042416	132-3839	35/R/1832A	BADGE QUALIFICATION RAF BAND – Chief Technician	4 Bladed Propeller (circular background), Gold on Light Navy (Pattern No 8849P), hand embroidered
43.	TL1042417	132-3840	35/R/1866A	BADGE QUALIFICATION RAF BAND – Warrant Officer (Bandmaster)	Royal Arms, Gold on Light Navy (Pattern No 8849P), hand embroidered
44.	TL1044460	974-0014	35/R/925	STRIPE SERVICE 3 Bar MOD Police	Silver Russia braid 5mm (Pattern No 9516A) on dark navy (Pattern No 8849J)
45.	TL1044461	974-0077	15404A	STRIPE SERVICE 2 Bar, Household Cavalry	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
46.	TL1044462	974-0078	15405A	STRIPE SERVICE 3 Bar, Household Cavalry	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
47.	TL1044463	974-0079	15406A	STRIPE SERVICE 4 Bar, Household Cavalry	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
48.	TL1044464	974-0080	17561	STRIPE SERVICE 1 Bar, Guards Division	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
49.	TL1044465	974-0081	15402A	STRIPE SERVICE 2 Bar, Guards Division	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
50.	TL1044466	974-0082	15403A	STRIPE SERVICE 3 Bar, Guards Division	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
51.	TL1044467	974-0083	18368A	STRIPE SERVICE 4 Bar, Guards Division	Gold Russia braid 3.5mm (Pattern No 9514A) on dark navy, (Pattern No 8849J) Worn on No 1 Dress
52.	TL1044468	974-0084	20645A	STRIPE SERVICE 1 Bar, Royal Tank Regiment, Mercian Regiment.	Chevron 1 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Black (Pattern No 8849Y). Worn on No 1 Dress
53.	TL1044469	974-0085	19922A	STRIPE SERVICE 2 Bar, Royal Tank Regiment, Mercian Regiment.	Chevron 2 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Black (Pattern No 8849Y). Worn on No 1 Dress
54.	TL1044470	974-0086	20257A	STRIPE SERVICE 3 Bar, Royal Tank Regiment, Mercian Regiment.	Chevron 3 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Black (Pattern No 8849Y). Worn on No 1 Dress
55.	TL1044471	974-0087	18351	STRIPE SERVICE 4 Bar, Royal Tank Regiment, Mercian Regiment.	Chevron 4 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Black (Pattern No 8849Y). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
56.	TL1044472	974-0092	29301	STRIPE SERVICE 1 Bar, Household Cavalry, Queen's Dragoon Guards, Royal Lancers, Royal Engineers, Royal Regiment of Scotland, Queen's Gurkha Engineers	Chevron 1 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Dark Navy (Pattern No 8849J). Worn on No 1 Dress
57.	TL1044473	974-0093	24855	STRIPE SERVICE 2 Bar, Household Cavalry, Queen's Dragoon Guards, Royal Lancers, Royal Engineers, Royal Regiment of Scotland, Queen's Gurkha Engineers	Chevron 2 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Dark Navy (Pattern No 8849J). Worn on No 1 Dress
58.	TL1044474	974-0094	19459A	STRIPE SERVICE 3 Bar, Household Cavalry, Queen's Dragoon Guards, Royal Lancers, Royal Engineers, Royal Regiment of Scotland, Queen's Gurkha Engineers	Chevron 3 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Dark Navy (Pattern No 8849J). Worn on No 1 Dress
59.	TL1044475	974-0095	18352A	STRIPE SERVICE 4 Bar, Household Cavalry, Queen's Dragoon Guards, Royal Lancers, Royal Engineers, Royal Regiment of Scotland, Queen's Gurkha Engineers	Chevron 4 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Dark Navy (Pattern No 8849J). Worn on No 1 Dress
60.	TL1044476	974-0105	24132A	STRIPE SERVICE 2 Bar, Army Air Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Light Blue (Pattern No 8849H). Worn on No 1 Dress
61.	TL1044477	974-0106	24871	STRIPE SERVICE 3 Bar, Army Air Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Light Blue (Pattern No 8849H). Worn on No 1 Dress
62.	TL1044478	974-0128	D00526	STRIPE SERVICE 1 Bar, Intelligence Corps.	Gold Universal Lace 13mm (Pattern No 9518A) on guards green (Pattern No 8849W). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
63.	TL1044479	974-0129	20604A	STRIPE SERVICE 2 Bar, Intelligence Corps.	Gold Universal Lace 13mm (Pattern No 9518A) on guards green (Pattern No 8849W). Worn on No 1 Dress
64.	TL1044480	974-0130	19792A	STRIPE SERVICE 3 Bar, Intelligence Corps.	Gold Universal Lace 13mm (Pattern No 9518A) on guards green (Pattern No 8849W). Worn on No 1 Dress
65.	TL1044481	974-0138	19516A	STRIPE SERVICE 1 Bar, Yorkshire Regiment, Royal Welsh	Gold Universal Lace 13mm (Pattern No 9518A) on green (Pattern No 8849D). Worn on No 1 Dress
66.	TL1044482	974-0139	19517A	STRIPE SERVICE 2 Bar, Yorkshire Regiment, Royal Welsh	Gold Universal Lace 13mm (Pattern No 9518A) on green (Pattern No 8849D). Worn on No 1 Dress
67.	TL1044483	974-0140	24875	STRIPE SERVICE 3 Bar, Yorkshire Regiment, Royal Welsh	Gold Universal Lace 13mm (Pattern No 9518A) on green (Pattern No 8849D). Worn on No 1 Dress
68.	TL1044484	974-0141	19482A	STRIPE SERVICE 4 Bar, Yorkshire Regiment, Royal Welsh	Gold Universal Lace 13mm (Pattern No 9518A) on green (Pattern No 8849D). Worn on No 1 Dress
69.	TL1044485	974-0146	15271A	STRIPE SERVICE 1 Bar, Parachute Regiment, Royal Army Veterinary Corps, King's Royal Hussars, Royal Army Medical Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Crimson (Pattern No 8849C). Worn on No 1 Dress
70.	TL1044486	974-0147	15272A	STRIPE SERVICE 2 Bar, Parachute Regiment, Royal Army Veterinary Corps, King's Royal Hussars, Royal Army Medical Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Crimson (Pattern No 8849C). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
71.	TL1044487	974-0148	15273A	STRIPE SERVICE 3 Bar, Parachute Regiment, Royal Army Veterinary Corps, King's Royal Hussars, Royal Army Medical Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Crimson (Pattern No 8849C). Worn on No 1 Dress
72.	TL1044488	974-0149	20282A	STRIPE SERVICE 4 Bar, Parachute Regiment, Royal Army Veterinary Corps, King's Royal Hussars, Royal Army Medical Corps	Gold Universal Lace 13mm (Pattern No 9518A) on Crimson (Pattern No 8849C). Worn on No 1 Dress
73.	TL1044493	974-0198	14916A	STRIPE SERVICE 1 Bar, Queens Royal Hussars	Gold Shamrock Lace 19mm on Scarlet (Pattern No 8849B)
74.	TL1044494	974-0199	18053	STRIPE SERVICE 2 Bar, Queens Royal Hussars	Gold Shamrock Lace 19mm on Scarlet (Pattern No 8849B)
75.	TL1044495	974-0200	14473	STRIPE SERVICE 3 Bar, Queens Royal Hussars	Gold Shamrock Lace 19mm on Scarlet (Pattern No 8849B)
76.	TL1044496	974-0212	18361	STRIPE SERVICE 1 Bar, Light Dragoons, Royal Lancers, Yorkshire Regiment	Gold Universal Lace 13mm (Pattern No 9518A) on White (Pattern No 8849F). Worn on No 1 Dress
77.	TL1044497	974-0213	18362A	STRIPE SERVICE 2 Bar, Light Dragoons, Royal Lancers, Yorkshire Regiment	Gold Universal Lace 13mm (Pattern No 9518A) on White (Pattern No 8849F). Worn on No 1 Dress
78.	TL1044498	974-0214	20606A	STRIPE SERVICE 3 Bar, Light Dragoons, Royal Lancers, Yorkshire Regiment	Gold Universal Lace 13mm (Pattern No 9518A) on White (Pattern No 8849F). Worn on No 1 Dress
79.	TL1044499	974-0238	24854A TG	STRIPE SERVICE 1 Bar, Royal Irish Regiment. Northern Irish Band (TA)	Silver Universal Lace 13mm (Pattern No 9519A) on Black (Pattern No 8849Y). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
80.	TL1044500	974-0239	24854A	STRIPE SERVICE 2 Bar, Royal Irish Regiment. Northern Irish Band (TA)	Silver Universal Lace 13mm (Pattern No 9519A) on Black (Pattern No 8849Y). Worn on No 1 Dress
81.	TL1044501	974-0240	24941	STRIPE SERVICE 3 Bar, Royal Irish Regiment. Northern Irish Band (TA)	Silver Universal Lace 13mm (Pattern No 9519A) on Black (Pattern No 8849Y). Worn on No 1 Dress
82.	TL1044502	974-0241	20896A	STRIPE SERVICE 4 Bar, Royal Irish Regiment. Northern Irish Band (TA)	Silver Universal Lace 13mm (Pattern No 9519A) on Black (Pattern No 8849Y). Worn on No 1 Dress
83.	TL1044554	974-1060	18997A	STRIPE SERVICE 2 Bar, Honourable Artillery Company (Infantry)	Silver Russia Braid (Pattern No 9516A) on Dark Navy (Pattern No 8849J).
84.	TL1044555	974-1061	18998A	STRIPE SERVICE 3 Bar, Honourable Artillery Company (Infantry)	Silver Russia Braid (Pattern No 9516A) on Dark Navy (Pattern No 8849J).
85.	TL1044574	974-1193	18683A	STRIPE SERVICE 2 Bar, Royal Hospital Chelsea	Gold Universal Lace 25mm (Pattern No 9518A) on Dark Navy (Pattern No 8849J). Worn on Full Dress
86.	TL1044629	974-2224	18678B	STRIPE SERVICE 3 Bar, Recruiting Senior Non Commissioned Officer's	Gold Universal Lace 13mm (Pattern No 9518A) on Scarlet. Worn on No 1 Dress
87.	TL1044756	975-6675	20265	STRIPE SERVICE 2 Bar, Scots Guards, Pipe Major and Piper	Silver Universal lace 13mm (Pattern No 9519A) on Navy (Pattern No 8849J). Worn on No 1 Dress
88.	TL1044757	975-6676	10641	STRIPE SERVICE 3 Bar, Scots Guards, Pipe Major and Piper	Silver Universal lace 13mm (Pattern No 9519A) on Navy (Pattern No 8849J). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
89.	TL1044758	975-6677	21751	STRIPE SERVICE 4 Bar, Scots Guards, Pipe Major and Piper	Silver Universal lace 13mm (Pattern No 9519A) on Navy (Pattern No 8849J). Worn on No 1 Dress
90.	TL1044759	975-6679	10642	STRIPE SERVICE 2 Bar, Irish Guards	Silver Universal lace 13mm (Pattern No 9519A) on Rifle Green (Pattern No 8849E).
91.	TL1044760	975-6680	D02101	STRIPE SERVICE 3 Bar, Irish Guards	Silver Universal lace 13mm (Pattern No 9519A) on Rifle Green (Pattern No 8849E).
92.	TL1044789	977-1516	21893	STRIPE SERVICE 4 Bar, all Scottish Infantry Regiments Including Pipers & Drummers.	Chevron 4 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Rifle Green (Pattern No 8849E). Worn on No 1 Dress
93.	TL1044790	977-1517	21894A	STRIPE SERVICE 3 Bar, all Scottish Infantry Regiments Including Pipers & Drummers	Chevron 3 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Rifle Green (Pattern No 8849E)
94.	TL1044791	977-1518	21895A	STRIPE SERVICE 2 Bar, all Scottish Infantry Regiments Including Pipers & Drummers	Chevron 2 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Rifle Green (Pattern No 8849E)
95.	TL1044792	977-1519	21896A	STRIPE SERVICE 1 Bar, all Scottish Infantry Regiments Including Pipers & Drummers	Chevron 1 Bar, Gold Universal Lace 13mm (Pattern No 9518A) on Rifle Green (Pattern No 8849E)
96.	TL1044878	978-6085	23718A	STRIPE SERVICE 1 Bar, Army & Royal Marines.	Chevron 1 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Scarlet (Pattern No 8849Z). Worn on No 1 Dress
97.	TL1044879	978-6086	23719A	STRIPE SERVICE 2 Bar, Army & Royal Marines.	Chevron 2 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Scarlet (Pattern No 8849Z). Worn on No 1 Dress
98.	TL1044880	978-6087	23720A	STRIPE SERVICE 3 Bar, Army & Royal Marines.	Chevron 3 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Scarlet (Pattern No 8849Z). Worn on No 1 Dress

TABLE 10 – EMBROIDERED BADGES AND CHEVRONS UTILISING METALLISED POLYESTER

Item No	TL Number	NATO Stock Number 8455-99-	Pattern No	Description	Additional Information
99.	TL1044881	978-6088	23721A	STRIPE SERVICE 4 Bar, Army & Royal Marines.	Chevron 4 Bar Gold Universal Lace 13mm (Pattern No 9518A) on Scarlet (Pattern No 8849Z). Worn on No 1 Dress